

ELEKTROD R 80 202900106

Last changed: 14/06/2012 Internal No: 202900106

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

NATIONAL MANUFACTURER/IMPORTER

Enterprise Luna Verktyg & Maskin AB

Postal code 441 80 Alingsås

Country Sverige

E-mail mikael.olsson@luna.se

 Internet
 www.luna.se

 Telephone
 +46 322 60 60 00

 Fax
 +46 60 64 43

CONTACT PERSONS

Name	E-mail	Telephone	Country	
M'I a a LOLa a a a				

Mikael Olsson

2 Hazards identification

2.1 Classification of the substance or mixture

DPD Classification: R43

CLP Classification: Skin Sens. 1BH317

Most important HSE hazard effects: May cause an allergic skin reaction.

2.2 Label elements



Signal word: None

EC-Label: No

COMPOSITION

Nickel. (< 2 %), Manganese (< 2 %), Koppar (< 1 %)

H Statements

H317 May cause an allergic skin reaction.

2.3 Other hazards

3 Composition/information on ingredients

3.2 Mixtures



ELEKTROD R 80 202900106 Last changed: 14/06/2012 Internal No: 202900106

Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Nickel.			7440-02-0	< 2 %	Xn,Xi,R40 - R43	Skin Sens. 1 H317 Carc. 2 H351
Manganese			7439-96-5	< 2 %	Xn,R48	STOT RE 2 H373
Koppar			7440-50-8	< 1 %	N,R52/53	Aquatic Chronic 3 H412

Full text of R-, H- and EUH-phrases: see section 16. The EUH hazard statements mentioned in CLP-classification are only label elements. 4 First aid measures 4.1 Description of first aid measures INHALATION Move the exposed person to fresh air at once. Get medical attention if any discomfort continues. 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed 5 Fire-fighting measures 5.1 Extinguishing media SUITABLE EXTINGUISHING MEDIA: All common fire extinguishing agents may be used. 5.2 Special hazards arising from the substance or mixture 5.3 Advice for fire-fighters 6 Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

METHODS AND MATERIAL

See section 13.

- 6.4 Reference to other sections
- 7 Handling and Storage
- 7.1 Precautions for safe handling
- 7.2 Conditions for safe storage, including any incompatibilities
- 7.3 Specific end uses
- 8 Exposure controls / Personal protection



ELEKTROD R 80 202900106

Last changed: 14/06/2012 Internal No: 202900106

8.1 Control parameters

OEL value

Ingredient name	CAS no.	Range	ppm	mg/m3	Year	Notification
Koppar	7440-50-8	15 min.				
Koppar	7440-50-8	8 h		1		
R=Toxic for reproduction, H=Skin absorption, K=Carcinogenic, A=Sensitising, T=Upper limit, M=Mutagenic						

OTHER INFORMATION REGARDING LIMIT VALUES AND MONITORING

Possible reaction products i welding fume Manganese oxide, ozon, nitrogen dioxid

8.2 Exposure controls

APPROPRIATE ENGINEERING CONTROLS

Use only in well-ventilated areas. Avoid contact with skin. Observe normal hygiene such as washing hands before meals, etc.

EYE PROTECTION

Use breathing masks and eye protection when smoke is present.

SKIN PROTECTION

Wear suitable protective clothing. Use a welding helmet during welding

HAND PROTECTION

Wear suitable gloves.

RESPIRATORY PROTECTION

Use breathing masks and eye protection when smoke is present.

OTHER INFORMATION

During welding fumes will be formed The fumecontant is depending on the electrode type and the base material Primarily iron oxid, secondarily complex oxides of manganese may be formed Also ozone and nitrogen dioxide can be formed by arc radiation

9 Physical and chemical Properties

9.1 Information on basic physical and chemical properties

PHYSICAL STATE Electrode

Parameter	Value/unit	Method/reference	Observation
pH consentrate	No data		
pH in solution	No data		
Melting point	1000 - 1500 °C		
Freezing point	No data		
Initial boiling point and boiling range	No data		
Flash point	No data		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		



Classified as Dangerous Goods:

SAFETY DATA SHEET

ELEKTROD R 80 202900106				
Last changed: 14/06/2012	Internal No: 202900106			
9.2 Other safety information				
Note no. Comments				
10 Stability and Reactivity				
10.1 Reactivity				
10.2 Chemical stability				
10.3 Possibility of hazardous reactions				
10.4 Conditions to avoid				
CONDITIONS TO AVOID				
Strong acids. Strong alkalis.				
10.5 Incompatible materials				
10.6 Hazardous decomposition products:				
11 Toxicological information				
11.1 Toxicological effects				
12 Ecological information				
12.1 Tovicity				
12.1 Toxicity				
12.2 Persistence and degradability				
12.3 Bioaccumulative potential				
12.4 Mobility in soil				
12.4 Mobility III soil				
12.5 Results of PBT and vPvB assessment				
12.6 Other adverse effects				
42 Disposal considerations				
13 Disposal considerations				
13.1 Waste treatment methods				
GENERAL REGULATIONS				
Dump or destroy in accordance with official recommendations and applicable legislation.				
14 Transport information				



ELEKTROD R 80 202900106

Last changed: 14/06/2012 Internal No: 202900106

Land transport (ADR/RID)

14.1 UN-No. Not applicable.

14.2 Proper

Not applicable.

Shipping Name 14.3

Not applicable.

Class(es) Hazard Not applicable. label(s)

Hazard ID: Not applicable.

Tunnel

restriction code

14.4 Packing

Environmental

14.4 Packing

Environmental

group

hazards

14.5

Not applicable.

Not applicable

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

group

hazards

14.4 Packing

Environmental

group

hazards

14.5

14.5

Inland water ways transport (ADN)

14.1 UN-No. Not applicable.

14.2 Proper Shipping Name

Not applicable.

Not applicable. Not applicable.

Enviromentally hazardous in tank-vessels

14.3 Class(es)

Sea transport (IMDG)

14.1 UN-No. Not applicable.

14.2 Proper Shipping Name

Not applicable.

14 3 Not applicable. Class(es)

Sub Risk: Not applicable. IMDG Code Not applicable.

segregation group

Marine pollutant Not applicable.

EMS:

Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN-No. Not applicable. 14.2 Proper

Not applicable.

Not applicable

Name 14.3 Not applicable. Class(es)

Hazard label(s)

Shipping

hazards

14.5 Environmental

group

14.4 Packing

Not applicable.

Not applicable.

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

16 Other information

LIST OF	RELEVANT R-PHRASES
R40	Limited evidence of a carcinogenic effect.

R43 May cause sensitisation by skin contact.

R48 Danger of serious damage to health by prolonged exposure.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



ELEKTROD R 80 202900106

Last changed: 14/06/2012 Internal No: 202900106

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects.