

ELEKTROD R 80 202900205

Last changed: 14/06/2012 Internal No: 202900205

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

NATIONAL MANUFACTURER/IMPORTER

Enterprise Luna Verktyg & Maskin AB

Postal code 441 80 Alingsås

Country Sverige

E-mail mikael.olsson@luna.se

 Internet
 www.luna.se

 Telephone
 +46 322 60 60 00

 Fax
 +46 60 64 43

CONTACT PERSONS

Name	E-mail	Telephone	Country	
M'I a a LOLa a a a				

Mikael Olsson

2 Hazards identification

2.1 Classification of the substance or mixture

DPD Classification: R43

CLP Classification: Skin Sens. 1BH317

Most important HSE hazard effects: May cause an allergic skin reaction.

2.2 Label elements



Signal word: None

EC-Label: No

COMPOSITION

Nickel. (< 2 %), Manganese (< 2 %), Koppar (< 1 %)

H Statements

H317 May cause an allergic skin reaction.

2.3 Other hazards

3 Composition/information on ingredients

3.2 Mixtures



ELEKTROD R 80 202900205

Last changed: 14/06/2012 Internal No: 202900205

Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Nickel.			7440-02-0	< 2 %	Xn,Xi,R40 - R43	Skin Sens. 1 H317 Carc. 2 H351
Manganese			7439-96-5	< 2 %	Xn,R48	STOT RE 2 H373
Koppar			7440-50-8	< 1 %	N,R52/53	Aquatic Chronic 3 H412

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

4 First aid measures

4.1 Description of first aid measures

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed
- 5 Fire-fighting measures
- 5.1 Extinguishing media

SUITABLE EXTINGUISHING MEDIA:

All common fire extinguishing agents may be used.

- 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for fire-fighters
- 6 Accidental release measures
- 6.1 Personal precautions, protective equipment and emergency procedures
- 6.2 Environmental precautions
- 6.3 Methods and material for containment and cleaning up

METHODS AND MATERIAL

See section 13.

- 6.4 Reference to other sections
- 7 Handling and Storage
- 7.1 Precautions for safe handling
- 7.2 Conditions for safe storage, including any incompatibilities
- 7.3 Specific end uses
- 8 Exposure controls / Personal protection



ELEKTROD R 80 202900205

Last changed: 14/06/2012 Internal No: 202900205

8.1 Control parameters

OEL value

Ingredient name	CAS no.	Range	ppm	mg/m3	Year	Notification
Koppar	7440-50-8	15 min.				
Koppar	7440-50-8	8 h		1		
R=Toxic for reproduction, H=Skin absorption, K=Carcinogenic, A=Sensitising, T=Upper limit, M=Mutagenic						

OTHER INFORMATION REGARDING LIMIT VALUES AND MONITORING

Possible reaction products i welding fume Manganese oxide, ozon, nitrogen dioxid

8.2 Exposure controls

APPROPRIATE ENGINEERING CONTROLS

Use only in well-ventilated areas. Avoid contact with skin. Observe normal hygiene such as washing hands before meals, etc.

EYE PROTECTION

Use breathing masks and eye protection when smoke is present.

SKIN PROTECTION

Wear suitable protective clothing. Use a welding helmet during welding

HAND PROTECTION

Wear suitable gloves.

RESPIRATORY PROTECTION

Use breathing masks and eye protection when smoke is present.

OTHER INFORMATION

During welding fumes will be formed The fumecontant is depending on the electrode type and the base material Primarily iron oxid, secondarily complex oxides of manganese may be formed Also ozone and nitrogen dioxide can be formed by arc radiation

9 Physical and chemical Properties

9.1 Information on basic physical and chemical properties

PHYSICAL STATE Electrode

Parameter	Value/unit	Method/reference	Observation
pH consentrate	No data		
pH in solution	No data		
Melting point	1000 - 1500 °C		
Freezing point	No data		
Initial boiling point and boiling range	No data		
Flash point	No data		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		



ELEKTROD R 80 202900205	
Last changed: 14/06/2012	Internal No: 202900205
9.2 Other safety information	
Note no. Comments	
10 Stability and Reactivity	
10.1 Reactivity	
10.2 Chemical stability	
10.3 Possibility of hazardous reactions	
10.5 F 03315/11ty Of Fluzur dods reactions	
10.4 Conditions to avoid	
CONDITIONS TO AVOID	
Strong acids. Strong alkalis.	
10.5 Incompatible materials	
10.6 Hazardous decomposition products:	
11 Toxicological information	
11.1 Toxicological effects	
12 Ecological information	
12.1 Toxicity	
12.2 Persistence and degradability	
12.3 Bioaccumulative potential	
12.4 Mobility in coil	
12.4 Mobility in soil	
12.5 Results of PBT and vPvB assessment	
12.6 Other adverse effects	
TETO OTHER DEVELOPMENT	
13 Disposal considerations	
13.1 Waste treatment methods	
GENERAL REGULATIONS	
Dump or destroy in accordance with official recommendations and applicable legislation.	
14 Transport information	
Classified as Dangerous Goods: No	



ELEKTROD	$D \circ \cap$	202000	205
ELEKTRUU	R 8U	202900	ルしつ

Last changed: 14/06/2012 Internal No: 202900205

Land transport (ADR/RID)

Not applicable. 14.4 Packing 14.1 UN-No. Not applicable.

group 14.2 Proper

Not applicable. 14.5 Not applicable.

Shipping **Environmental** Name hazards

Not applicable. 14.3 Class(es)

Not applicable

label(s)

Hazard ID: Not applicable. Tunnel restriction

code

hazards

Not applicable.

Not applicable.

Inland water ways transport (ADN)

14.4 Packing 14.1 UN-No. Not applicable Not applicable.

group

14.2 Proper Not applicable. 14.5 Not applicable.

Shipping Environmental Name hazards

14.3 Class(es) Not applicable.

Enviromentally Not applicable.

hazardous in tank-vessels

Hazard

Sea transport (IMDG)

14.1 UN-No. 14.4 Packing Not applicable. Not applicable. group

14.2 Proper Not applicable. 14.5 Shipping **Environmental**

Name

14 3 Not applicable. Class(es)

Sub Risk: Not applicable.

IMDG Code Not applicable.

segregation group

Marine Not applicable. pollutant

EMS: Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN-No. Not applicable. 14.4 Packing Not applicable.

group

14.2 Proper 14.5 Not applicable. Not applicable. Shipping Environmental

Name hazards

14.3 Not applicable.

Class(es) Hazard Not applicable label(s)

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

16 Other information

LISI	UГ	KELE	VAIN	 K-PF	IKASES

R40 Limited evidence of a carcinogenic effect.

R43 May cause sensitisation by skin contact.

R48 Danger of serious damage to health by prolonged exposure.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



ELEKTROD R 80 202900205

Last changed: 14/06/2012 Internal No: 202900205

LIST OF	LIST OF RELEVANT H-STATEMENTS				
H317	May cause an allergic skin reaction.				
H351	Suspected of causing cancer.				
H373	May cause damage to organs through prolonged or repeated exposure.				
H412	Harmful to aquatic life with long lasting effects.				