

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Gorilla Super Glue Gel
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.
1.2 Relevant identified uses of the subst	ance or mixture and uses advised against
Identified Use(s)	Adhesives.
Uses Advised Against	Not known.
1.3 Details of the supplier of the safety of	lata sheet
Manufacturer	
Company Identification	Gorilla Glue Europe Ltd
Address of Manufacturer	26 Eaton Avenue
	Matrix Park
	Buckshaw Village
	Chorley
	Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
E-mail	Eucustomercare@gorillaglue.com
Office hours	08:30 - 17:00
Supplier	
Company Identification	Gorilla Glue Europe Ltd
Address of Supplier	26 Eaton Avenue
	Matrix Park
	Buckshaw Village
	Chorley
	Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
E-mail	Eucustomercare@gorillaglue.com
Office hours	08:30 - 17:00
1.4 Emergency telephone number	
Emergency Phone No.	+44 (0)843 507 1200
Contact	Stuart Shotton
National response center	
Address	NHS Direct
Emergency Phone No.	+44 111



2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)	Skin Irrit. 2 :Causes skin irritation. Eye Irrit. 2 :Causes serious eye irritation.
	STOT SE 3 :May cause respiratory irritation.
2.2 Label elements	
	According to Regulation (EC) No. 1272/2008 (CLP)
Product Name	Gorilla Super Glue Gel
Hazard Pictogram(s)	\mathbf{A}
	GHS07
Cianal Word(a)	Warning
Signal Word(s)	warning
Hazard Statement(s)	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the
	reach of children.
	EUH204: Contains isocyanates. May produce an allergic reaction.
Precautionary Statement(s)	P101: If medical advice is needed, have product container or label at hand.
	P261: Avoid breathing vapours.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313: If eye irritation persists: Get medical advice/attention.
	P501: Dispose of contents in accordance with local, state or national legislation.
2.3 Other hazards	
	None known.
2.4 Additional Information	
	For full text of H/P Statements see section 16.



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS	CAS No.	EC No. / REACH	%W/W	Hazard Statement(s)	Hazard
INGREDIENT(S)		Registration No.			Pictogram(s)
ethyl 2-cyanoacrylate	7085-85-0	230-391-5	85-95	Skin Irrit. 2 H315	GHS07
		01-2119527766-29-XXXX		Eye Irrit. 2 H319	
				STOT SE 3 H335	
1,4-dihydroxybenzene	123-31-9	204-617-8	<0.1	Acute Tox. 4 H302	GHS05
		01-2119527766-29-XXXX		Skin Sens. 1 H317	GHS08
				Eye Dam. 1 H318	GHS07
				Muta. 2 H341	GHS09
				Carc. 2 H351	
				Aquatic Acute 1 H400	

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON	
	CENTER/doctor if you feel unwell.	
Skin Contact	Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.	
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present	
	and easy to do. Continue rinsing. If eye irritation persists: Get medical	
	advice/attention.	
Ingestion	Wash out mouth with water.	
4.2 Most important symptoms and effects, both acute and delayed		
	Causes irritation to eyes and skin. May cause respiratory irritation.	

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.



SECTION 5: FIREFIGHTING MEASURES

Gorilla Super Glue Gel

5.1 Extinguishing media	
Suitable Extinguishing media	As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical,
	foam or waterspray.
Unsuitable extinguishing media	None.
5.2 Special hazards arising from the su	bstance or mixture
	Decomposes in a fire giving off toxic fumes: Carbon monoxide, Nitrogen oxides,
	isocyanates, traces of hydrogen cyanide .
5.3 Advice for firefighters	
	Fire fighters should wear complete protective clothing including self-contained
	breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures		
	Provide adequate ventilation. Avoid breathing vapours. Wear appropriate personal	
	protective equipment, avoid direct contact. Take off contaminated clothing and wash	
	it before reuse. Wash hands and exposed skin thoroughly after handling.	
6.2 Environmental precautions		
	Do not release large quantities into the surface water or into drains.	
6.3 Methods and material for containme	nt and cleaning up	
	Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a	
	container for disposal.	
6.4 Reference to other sections		
	See Also Section 8, 13.	

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

If medical advice is needed, have product container or label at hand. Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing vapours. Avoid contact with skin and eyes. Wash hands and exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.
7.3 Specific end use(s)	
	Adhesives.



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m³)	Note
ethyl 2-cyanoacrylate	7085-85-0			0.3	1.5	
1,4-dihydroxybenzene	123-31-9		0.5			
1,4-ainyaroxybenzene	123-31-9		0.5			

 Region
 Source

 EU
 EU Occupational Exposure Limits

 United Kingdom
 UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

8.2 Exposure controls

iate engineering controls	Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.
al protection equipment	
Eye Protection	Wear protective eyewear (goggles, face shield, or safety glasses).
Skin protection	Wear suitable protective clothing and gloves.
	Breakthrough time of the glove material: refer to the information provided by the
	gloves' producer.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. A suitable mask with
	filter type A may be appropriate.
Thermal hazards	Not applicable.
	I protection equipment Eye Protection Skin protection Respiratory protection

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid.
	Colour : Clear.
Odour	Characteristic.
Odour threshold	Not known.
pН	Not known.
Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point	>81°C
Evaporation rate	Not known.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive	Not known.
limits	
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	1.1g/cm³ @ 20°C
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Immiscible.
	Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2 Other information	

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
	Stable under normal conditions.
10.2 Chemical Stability	
	Stable under normal conditions.
10.3 Possibility of hazardous reactions	
	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	
	Heat and direct sunlight.
10.5 Incompatible materials	

Not known.



10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Low oral toxicity.
Acute toxicity - Skin Contact	Low acute toxicity.
Acute toxicity - Inhalation	Low acute toxicity.
Skin corrosion/irritation	Causes skin irritation. No data.
Serious eye damage/irritation	Causes serious eye irritation. No data.
Skin sensitization data	Contains isocyanates. May produce an allergic reaction. No data.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	There is no evidence of mutagenic potential.
Carcinogenicity	No evidence of carcinogenic effects.
Reproductive toxicity	No evidence of reproductive effects.
Lactation	Not classified.
STOT - single exposure	May cause respiratory irritation. No data.
STOT - repeated exposure	None anticipated.
Aspiration hazard	Not classified.
11.2 Other information	

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Toxicity - Aquatic invertebrates Low toxicity to invertebrates. Toxicity - Fish Low toxicity to fish. Toxicity - Algae Low toxicity to algae. Not classified. Toxicity - Sediment Compartment Not classified. Toxicity - Terrestrial Compartment 12.2 Persistence and degradability No information available. 12.3 Bioaccumulative potential No information available. 12.4 Mobility in soil Immiscible with water. The product is predicted to have low mobility in soil. 12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB. 12.6 Other adverse effects Not known.



13.1 Waste treatment methods			
	Dispose of this material and its container as hazardous waste. Do not dispose of		
	with household waste. Incineration by an approved method could be considered.		
13.2 Additional Information			
	Disposal should be in accordance with local, state or national legislation.		
EU Waste Codes:	08 00 00 WASTES FORM THE MANUFACTURE, FORMULATION, SUPPLY AND		
	USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS,)		
	ADHESIVES, SEALANTS AND PRINTING INKS		
	08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing		
	products)		
	08 04 09 waste adhesives and sealants containing organic solvents or other		
	dangerous substances		

SECTION 14: TRANSPORT INFORMATION

SECTION 13: DISPOSAL CONSIDERATIONS

Not classified as hazardous for transport.

14.1	UN number	
		Not applicable
14.2	UN proper shipping name	
		Not applicable
14.3	Transport hazard class(es)	
		Not applicable
14.4	Packing group	
		Not applicable
14.5	Environmental hazards	
		Not classified as a Marine Pollutant.
14.6	Special precautions for user	
		Not known
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code		
		Not known



SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations a	nd/or Restrictions On Use
Candidate List of Substances of Very	Not listed
High Concern for Authorisation	
REACH: ANNEX XIV list of substances	Not listed
subject to authorisation	
REACH: Annex XVII Restrictions on the	ethyl 2-cyanoacrylate (7085-85-0), 1,4-dihydroxybenzene (123-31-9)
manufacture, placing on the market and	
use of certain dangerous substances,	
mixtures and articles	
Community Rolling Action Plan (CoRAP)	1,4-dihydroxybenzene (123-31-9)
Regulation (EC) N° 850/2004 of the	Not listed
European Parliament and of the Council	
on persistent organic pollutants	
Regulation (EC) N° 1005/2009 on	Not listed
substances that deplete the ozone layer	
Regulation (EU) N° 649/2012 of the	Not listed
European Parliament and of the Council	
concerning the export and import of	
hazardous chemicals	
National regulations	
Other	Not known.
15.2 Chemical Safety Assessment	

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

1-16

LEGEND

Hazard Pictogram(s)



Hazard classification

Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Eye Irrit. 2 : Serious eye damage/irritation, Category 2 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3



Hazard Statement(s)	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the
	reach of children.
	EUH204: Contains isocyanates. May produce an allergic reaction.
Precautionary Statement(s)	P101: If medical advice is needed, have product container or label at hand.
	P261: Avoid breathing vapours.
	P264: Wash hands and exposed skin thoroughly after handling.
	P271: Use only outdoors or in a well-ventilated area.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352: IF ON SKIN: Wash with plenty of water.
	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P312: Call a POISON CENTER/doctor if you feel unwell.
	P321: Specific treatment (see Medical Advice on this label).
	P332+P313: If skin irritation occurs: Get medical advice/attention.
	P337+P313: If eye irritation persists: Get medical advice/attention.
	P362+P364: Take off contaminated clothing and wash it before reuse.
	P403+P233: Store in a well-ventilated place. Keep container tightly closed.
	P405: Store locked up.
	P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ATE : Acute Toxicity Estimate
	CAS : Chemical Abstracts Service
	CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of
	substances and mixtures
	EC : European Community
	LTEL : Long term exposure limit
	PBT : Persistent, Bioaccumulative and Toxic
	REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
	STEL : Short term exposure limit
	STOT : Specific Target Organ Toxicity
	vPvB : very Persistent and very Bioaccumulative
Key literature references and sources for	Regulation (EC) No. 1272/2008 (CLP)
data used to compile the SDS	
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed
	to be accurate and is given in good faith, but it is for the Users to satisfy themselves



of the suitability of the product for their own particular purpose. Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.