

# MIGTRÅD RMI DUPLEX 204620207

Last changed: 18/06/2012

1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name / designation MIGTRÅD RMI DUPLEX 204620207

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

# 1.3 Details of the supplier of the safety data sheet

E-mail

#### NATIONAL MANUFACTURER/IMPORTER

Enterprise	Luna Verktyg & Maskin AB
Postal code	441 80 Alingsås
Country	Sverige
E-mail	mikael.olsson@luna.se
Internet	www.luna.se
Telephone	+46 322 60 60 00
Fax	+46 60 64 43

#### CONTACT PERSONS

Name

Mikael Olsson

# 2 Hazards identification

## 2.1 Classification of the substance or mixture

DPD Classification:

Carc. Cat. 3; R40, R43

CLP Classification:

Skin Sens. 1H317, Carc. 2H351

Telephone

Most important HSE hazard effects: May cause an allergic skin reaction. Suspected of causing cancer.

#### 2.2 Label elements



Signal word: None

EC-Label: No

### COMPOSITION Nickel. (< 10 %), Krom (< 25 %), MANGAN (< 2 %), Molybden (< 5 %)

#### H Statements

H317	May cause an allergic skin reaction.		
H351	Suspected of causing cancer.		
-			

# 2.3 Other hazards

3 Composition/information on ingredients

#### 3.2 Mixtures

Internal No: 204620207

Country



# MIGTRÅD RMI DUPLEX 204620207

Last changed: 18/06/2012 Internal No: 204620207						
Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Nickel.			7440-02-0	< 10 %	Xn,Xi,R40 - R43	Skin Sens. 1 H317 Carc. 2 H351
Krom			7440-47-3	< 25 %		
MANGAN			7439-96-5	< 2 %		
Molybden			7439-98-7	< 5 %		

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

# 4 First aid measures

# 4.1 Description of first aid measures

#### INHALATION

During welding fume can be inhaled: bring patient in fresh air, breath in fresh air deeply. Contact physician if necessary

#### INGESTION

Not applicable.

### SKIN CONTACT

May cause sensitisation by skin contact.

#### EYE CONTACT

Not applicable.

### 4.2 Most important symptoms and effects, both acute and delayed

# 4.3 Indication of any immediate medical attention and special treatment needed

#### 5 Fire-fighting measures

#### 5.1 Extinguishing media

#### SUITABLE EXTINGUISHING MEDIA:

Fire can be extinguished with carbon dioxide, powder, foam or water spray.

### 5.2 Special hazards arising from the substance or mixture

#### 5.3 Advice for fire-fighters

# 6 Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

#### PERSONAL PRECAUTIONS

No special precautions required.

# 6.2 Environmental precautions

#### ENVIRONMENTAL PRECAUTIONS

No special precautions required.

#### 6.3 Methods and material for containment and cleaning up



# MIGTRÅD RMI DUPLEX 204620207

Last changed: 18/06/2012

# METHODS AND MATERIAL

Dumped according to local and national regulations.

### 6.4 Reference to other sections

### 7 Handling and Storage

# 7.1 Precautions for safe handling

### PRECAUTION FOR SAFE HANDLING

No special precautions required.

### 7.2 Conditions for safe storage, including any incompatibilities CONDITION FOR SAFE STORAGE, INCLUDING ANY UNCOMPATIBILITIES

No specific storage precautions noted.

# 7.3 Specific end uses

# 8 Exposure controls / Personal protection

# 8.1 Control parameters

#### 8.2 Exposure controls

# APPROPRIATE ENGINEERING CONTROLS

In case od dust or smoke: keep foodstuffs sealed Avoid direct contact. Protective clothing must be stored separately from other clothing. Wash your hands thoroughly after handling and before eating or smoking.

#### EYE PROTECTION

Use eye protection.

#### SKIN PROTECTION

Use well fitting working clothes Use a welding helmet during welding

#### HAND PROTECTION

Wear suitable gloves.

#### RESPIRATORY PROTECTION

During welding fumes will be formed The fumecontant is depending on the electrode type and the base material Primarily iron oxid, secondarily complex oxides of manganese may be formed Also ozone and nitrogen dioxide can be formed by arc radiation

Effective ventilation is presupposed or suitable respirator.

### OTHER INFORMATION

Possible reaction products i welding fume Manganese oxide, ozon, nitrogen dioxid

### 9 Physical and chemical Properties

# 9.1 Information on basic physical and chemical properties

#### PHYSICAL STATE Electrode

Internal No: 204620207



# MIGTRÅD RMI DUPLEX 204620207

Last changed: 18/06/2012

Internal No: 204620207

Parameter	Value/unit	Method/reference	Observation
pH consentrate	No data		
pH in solution	No data		
Melting point	2750 °C		
Freezing point	No data		
Initial boiling point and boiling range	No data		
Flash point	No data		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		

# 9.2 Other safety information

Note no.

Comments

# 10 Stability and Reactivity

### 10.1 Reactivity

10.2 Chemical stability

# 10.3 Possibility of hazardous reactions

# 10.4 Conditions to avoid

# CONDITIONS TO AVOID

Avoid contact with acids and alkalies.

# 10.5 Incompatible materials

# 10.6 Hazardous decomposition products:

# HAZARDOUS DECOMPOSITION PRODUCTS

Not known

# 11 Toxicological information

# 11.1 Toxicological effects

# 12 Ecological information

### 12.1 Toxicity ECOTOXICITY Not known

# 12.2 Persistence and degradability

# 12.3 Bioaccumulative potential



# MIGTRÅD RMI DUPLEX 204620207

Last changed: 18/06/2012

# 12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

### 12.6 Other adverse effects

# 13 Disposal considerations

# 13.1 Waste treatment methods

#### GENERAL REGULATIONS

Dumped according to local and national regulations.

# 14 Transport information

Classified as Dangerous Goods: No

Land transport	(ADR/RID)			
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Hazard label(s)	Not applicable.			
Hazard ID:	Not applicable.	Tunnel restriction code	Not applicable.	
	ays transport (ADN)		Not oppliaghla	
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Enviromentally hazardous in tank-vessels	Not applicable.			
Cas transport (				
Sea transport (			Net englische	
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.	ind Lai do		
Sub Risk: IMDG Code segregation	Not applicable. Not applicable.			
group Marine pollutant	Not applicable.			
EMS:	Not applicable.			

Internal No: 204620207



# **MIGTRÅD RMI DUPLEX 204620207**

Last changed: 18/06/2012 Internal No: 2046202				Internal No: 204620207
Air transport (	ICAO-TI / IATA-DGR)			
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Hazard label(s)	Not applicable.			
Name 14.3 Class(es) Hazard				

# **15 Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2 Chemical Safety Assessment OTHER INFORMATION

Warning do not inhale welding fumes Medium acute toxicity. Risk of injuries with long term or frequent inhalation. Ensure that ventilation is good. See the Safety Data Sheet for the type of electrode in question.

### 16 Other information

LIST OF RELEVANT R-PHRASES				
R40	Limited evidence of a carcinogenic effect.			
R43	May cause sensitisation by skin contact.			

# LIST OF RELEVANT H-STATEMENTS

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.