

FETT UNI EX 2,5 155580103

Last changed: 09/05/2012

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name / designation FETT UNI EX 2,5 155580103

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

E-mail

NATIONAL MANUFACTURER/IMPORTER

| Luna Verktyg & Maskin AB |
|--------------------------|
| SE-441 80 ALINGSÅS |
| SVERIGE |
| + 46 322 60 60 00 |
| + 46 322 60 64 43 |
| |

CONTACT PERSONS

Name Jörgen Bengtsson

Telephone + 46 322 60 64 52

Country

Internal No: 155580103

2 Hazards identification

2.1 Classification of the substance or mixture

DPD Classification:

CLP Classification:

Most important HSE hazard effects:

2.2 Label elements

Signal word: None

EC-Label: No

COMPOSITION

Petroleum oil, highly refined (DMSO-EXTRAKT<3% IP346) (> 50 %)

SUPPLEMENTAL HAZARD INFORMATION (EU)

Not classified.

2.3 Other hazards

3 Composition/information on ingredients

3.2 Mixtures Ingredient name Reg.No EC No. CAS No. Conc. DPD-Classification CLP-classification Petroleum oil, highly refined (DMSO-EXTRAKT<3% IP346)</td> > 50 %

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

4 First aid measures



FETT UNI EX 2,5 155580103

Last changed: 09/05/2012

Internal No: 155580103

4.1 Description of first aid measures

INHALATION

Provide rest, warmth and fresh air. Rinse nose, mouth and throat with water. Get medical attention if any discomfort continues.

INGESTION

DO NOT INDUCE VOMITING!Contact physician.

SKIN CONTACT

Wash skin with soap and water. Remove contaminated clothing. Get medical attention if any discomfort continues. Product that has entered under the skin at high pressure demands immediate medical attention.

EYE CONTACT

Rinse with water. Get medical attention if any discomfort continues.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

5 Fire-fighting measures

5.1 Extinguishing media

SUITABLE EXTINGUISHING MEDIA:

Fire may be extinguished using powder, foam or carbon dioxide (CO2).

UNSUITABLE EXTINGUISHING MEDIA

Do not use water.

5.2 Special hazards arising from the substance or mixture

SPECIAL HAZARDS

In strong heat, combustible vapours are emitted. In the event of a fire, irritating smoke is formed. Carbon monoxide may be formed in the event of incomplete combustion.

5.3 Advice for fire-fighters ADVICE FOR FIREFIGHTERS

Wear suitable respiratory protection.

OTHER INFORMATION

Only trained personnel may undertake fire fighting in enclosed spaces. Containers close to fire should be removed immediately or cooled with water.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

PERSONAL PRECAUTIONS

Bank in and collect. Use personal protective equipment.

6.2 Environmental precautions

ENVIRONMENTAL PRECAUTIONS

Prevent discharges into the sewage system, watercourses or lakes.

6.3 Methods and material for containment and cleaning up



FETT UNI EX 2,5 155580103

Last changed: 09/05/2012

METHODS AND MATERIAL

Bank with sand, earth or other inert absorption agent. Collect. Immediately inform the authorities if the emission reaches the sewage system and watercourses. Inform the emergency service in the event of major spillage. In the event of spillage into water: Enclose by booms and pump out as much as possible, collect minor quantities, e.g. in bark, and remove immediately. Treat as dangerous waste.

6.4 Reference to other sections

7 Handling and Storage

7.1 Precautions for safe handling

PRECAUTION FOR SAFE HANDLING

Avoid inhaling vapour/aerosol/mist. Prevent spillage.

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end uses

8 Exposure controls / Personal protection

8.1 Control parameters

| Ingredient name | CAS no. | Range | ppm | mg/m3 | Year | Notification |
|--|---------|---------|-----|-------|------|--------------|
| Petroleum oil, highly refined (DMSO-EXTRAKT<3% IP346) | | 15 min. | | 3 | | |
| Petroleum oil, highly refined (DMSO-EXTRAKT<3% IP346) | | 8 h | | 1 | | |
| R=Toxic for reproduction, H=Skin absorption, K=Carcinogenic, A=Sensitising, T=Upper limit, M=Mutagenic | | | | | | |

BIOLOGICAL THRESHOLD VALUES

Contains mineral oil for which a threshold value for oil mist must be applied.

8.2 Exposure controls

APPROPRIATE ENGINEERING CONTROLS

Good personal hygiene is important. Use only in well-ventilated areas. Remove contaminated clothing. Do not put polluted rags in your pockets. Use suitable protective gloves, protective goggles and protective clothes if there is risk of direct contact or splashing.

EYE PROTECTION

Use eye protection.

SKIN PROTECTION

Apron.

HAND PROTECTION

Protective gloves (nitrile rubber, fluorocarbon rubber).

9 Physical and chemical Properties

9.1 Information on basic physical and chemical properties

PHYSICAL STATE Fat.

| COLOUR | Yellowish. |
|------------|-------------------|
| ODOUR | Oil. |
| SOLUBILITY | Organic solvents. |

Internal No: 155580103



FETT UNI EX 2,5 155580103

Last changed: 09/05/2012

Internal No: 155580103

| Parameter | Value/unit | Method/reference | Observation |
|---|------------|------------------|-------------|
| pH consentrate | No data | | |
| pH in solution | No data | | |
| Melting point | No data | | |
| Freezing point | No data | | |
| Initial boiling point and boiling range | No data | | |
| Flash point | > 150 °C | | |
| Evaporation rate | No data | | |
| Flammability (solid, gas) | No data | | |
| Flammability limits | No data | | |
| Explotion limits | No data | | |
| Vapour pressure | No data | | |
| Vapour density | No data | | |
| Relative density | No data | | |
| Partition coefficient | No data | | |
| Auto-ignition temprature | No data | | |
| Decomposition temprature | No data | | |
| Viscosity | No data | | |

| 9.2 Other safety information | | | | | |
|------------------------------|------------------|--------------------------|--|--|--|
| ue/unit | Method/reference | Observation | | | |
| 000 kg/m³ | 15°C | | | | |
| ι | ue/unit | ue/unit Method/reference | | | |

Note no.

Comments

10 Stability and Reactivity

10.1 Reactivity

10.2 Chemical stability CHEMICAL STABILITY Stable.

10.3 Possibility of hazardous reactions POSSIBILITY OF HAZARDOUS REACTIONS Strong oxidizing agent.

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products:

HAZARDOUS DECOMPOSITION PRODUCTS

Carbon monoxide and hydrocarbons are emitted in a fire.

11 Toxicological information

11.1 Toxicological effects

ACUTE TOXICITY - INHALATION

Oil mist may irritate the respiratory organs.



FETT UNI EX 2,5 155580103

Last changed: 09/05/2012

SKIN CORROSION/IRRITATION

Protracted or repeated contact in combination with poor hygiene may cause skin problems in the form of skin inflammation (dermatitis), eczema and oil acne. Mineral oil that has entered under the skin at high pressure may cause extensive subcutaneous necrosis. The product used may contain compounds that are harmful to health that have formed during use.

SERIOUS EYE DAMAGE/IRRITATION

May cause discomfort.

12 Ecological information

12.1 Toxicity

12.2 Persistence and degradability

DEGRADABILITY

The principal constituents are expected to be biodegradable. Slowly biodegradable.

12.3 Bioaccumulative potential

ACCUMULATION

Contains component/components that can be bioaccumulated.

12.4 Mobility in soil

MOBILITY

Low solubility in water. The product floats on water. Contains components that strongly adsorb earth particles.

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects

OTHER EFFECTS

Forms an oil film on water surfaces that may harm aquatic organisms and may disturb the transport of oxygen at the air/water interface.

13 Disposal considerations

13.1 Waste treatment methods

GENERAL REGULATIONS

May only be transported by a contractor with a special licence.

14 Transport information

Classified as Dangerous Goods: No

Internal No: 155580103



SAFETY DATA SHEET

FETT UNI EX 2,5 155580103

| | | ETT UNI EX 2,5 1555801 | 03 | |
|--|---------------------|----------------------------------|-----------------|------------------------|
| Last changed: (| 09/05/2012 | | | Internal No: 155580103 |
| Land transport | (ADR/RID) | | | |
| 14.1 UN-No. | Not applicable. | 14.4 Packing group | Not applicable. | |
| 14.2 Proper Shipping Name | Not applicable. | 14.5 Environmental hazards | Not applicable. | |
| 14.3 Class(es) | Not applicable. | | | |
| Hazard label(s) | Not applicable. | | | |
| Hazard ID: | Not applicable. | Tunnel restriction code | Not applicable. | |
| | | | | |
| | ays transport (ADN) | | | |
| 14.1 UN-No. | Not applicable. | 14.4 Packing group | Not applicable. | |
| 14.2 Proper Shipping Name | Not applicable. | 14.5 Environmental hazards | Not applicable. | |
| 14.3 Class(es) | Not applicable. | | | |
| Enviromentally hazardous in tank-vessels | Not applicable. | | | |
| F | | | | |
| Sea transport (| | | | |
| 14.1 UN-No. | Not applicable. | 14.4 Packing group | Not applicable. | |
| 14.2 Proper Shipping Name | Not applicable. | 14.5 Environmental hazards | Not applicable. | |
| 14.3 Class(es) | Not applicable. | | | |
| Sub Risk: | Not applicable. | | | |
| IMDG Code segregation group | Not applicable. | | | |
| Marine pollutant | Not applicable. | | | |
| EMS: | Not applicable. | | | |
| Air transport (I | CAO-TI / IATA-DGR) | | | |
| 14.1 UN-No. | Not applicable. | 14.4 Packing group | Not applicable. | |
| 14.2 Proper Shipping Name | Not applicable. | 14.5 Environmental hazards | Not applicable. | |
| 14.3 Class(es) | Not applicable. | | | |
| Hazard Iabel(s) | Not applicable. | | | |

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

16 Other information